

Prof. Dr. Knut Reinert,  
Dr. Yaron Goldstein,  
Sandro Andreotti

November 3, 2013

# Algorithms

WS 2013/14

Exercises 4

## 1. Modulo Arithmetic (Niveau II)

Prove the following theorem:

For any positive integers  $a$  and  $n$ , if  $d = \gcd(a, n)$  (the greatest common divisor of  $a$  and  $n$ ), then

$$\langle a \rangle = \langle d \rangle = \{0, d, 2d, \dots, n - d\}$$

and thus

$$|\langle a \rangle| = n/d$$

( $\langle a \rangle := \{a \cdot i \bmod n \mid i \in \mathbb{N}\}$ ).

Hint: Use Bezout's lemma. It states that if  $a$  and  $b$  are nonzero integers with greatest common divisor  $d$ , then there exist integers  $x$  and  $y$  such that  $ax + by = d$

## 2. Hashing (Niveau I)

Consider a version of the division method in which  $h(k) = k \bmod m$ , where  $m = 2^p - 1$  and  $k$  is a character string interpreted in radix  $2^p$ . Show that if string  $x$  can be derived from string  $y$  by permuting its characters, then  $x$  and  $y$  hash to the same value.

## 3. Hashing (Niveau I)

Consider the two situations in a hash table of size  $m$  using open addressing with linear probing:

- You have  $n = m/2$  keys in the table, where every even-indexed slot is occupied and every odd-indexed slot is free.
  - You have  $n = m/2$  keys in the table and the first  $n = m/2$  locations are the ones occupied.
- (a) Compute the average search cost for an unsuccessful search for both situations under the hypothesis of simple uniform hashing.