



Metabolic Networks

Alexander Bockmayr
Freie Universität Berlin



DFG Research Center MATHEON
Mathematics for key technologies


Network Analysis, FU Berlin, SS14



Importance

- ▷ Biology
 - ▶ Cell metabolism
 - ▶ Catabolism, anabolism
- ▷ Medicine
 - ▶ Metabolic disorders
 - ▶ Cancer
- ▷ Biotechnology
 - ▶ Biofuel
 - ▶ Bioleaching


Metabolic networks



<http://web.expasy.org/pathways/>
2 / 9



Mathematical representation






Algebraic description

- ▷ Stoichiometric matrix $S \in \mathbb{R}^{m \times n}$
 - ▶ Rows \rightsquigarrow internal metabolites $i = 1, \dots, m$
 - ▶ Columns \rightsquigarrow internal and external reactions $j = 1, \dots, n$
 - ▶ S_{ij} : stoichiometric coefficient of reactant i in reaction j
- ▷ Set of irreversible reactions *irr*
- ▷ Metabolic model $\mathcal{M} = (S, \text{irr})$



Example



$$\begin{aligned}
 v_1(C, k) &= v_{m1} / (1 + (C_2/k_1)^p) \\
 v_2(C, k) &= v_{m2} \cdot C_1 / (k_1 + C_1) \\
 v_3(C, k) &= v_{m3} \cdot C_2 / (k_2 + C_2)
 \end{aligned}$$

Which kinetic laws?
Which kinetic parameters?



1. Kinetic modeling

- ▷ Metabolites i and reactions j
 - ▷ $C_i(t)$: metabolite concentrations at time t
 - ▷ $v_j = v_j(C, k)$: reaction rates, depending on kinetic law and kinetic parameters k
 - ▷ S_{ij} : stoichiometric coefficient
- $$\frac{dC_i}{dt} = \sum_{j=1}^n S_{ij} v_j \quad \text{or} \quad \frac{dC}{dt} = S \cdot v(C, k)$$
- ▷ System of ordinary differential equations (ODEs)



2. Constraint-based modeling

- ▷ **Steady-state assumption:**
Assume metabolite concentrations C_i and reaction rates v_j are constant \rightsquigarrow flux vector $v \in \mathbb{R}^n$
 - ▷ **Stoichiometric constraints** (mass balance):

$$\sum_{j=1}^n S_{ij} v_j = 0, \text{ for all } i = 1, \dots, m$$
 - ▷ **Thermodynamic irreversibility constraints:**
 $v_j \geq 0$, if j is irreversible
- \rightsquigarrow system of linear equations and inequalities in \mathbb{R}^n



Steady-state flux cone

Set of all possible steady-state flux distributions

$$C = \{v \in \mathbb{R}^n \mid Sv = 0, v_i \geq 0, i \in Irr\}$$

↪ polyhedral cone

